Notice of Allowability	Application No.	Applicant(s)
	10/808,661	KRENT, EDWARD D.
	Examiner	Art Unit
	Cynthia F. Collado	3618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>2/17/2006</u> .		
2. The allowed claim(s) is/are <u>1-19</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ol>		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
Notice of References Cited (P10-032)     Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	ė
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8.  Examiner's Stateme	nt of Reasons for Allowance

#### **DETAILED ACTION**

# Response to Amendment

Applicant's submittal of an amendment was received on 2/17/2006, wherein claims 1 and 7 have been amended.

# **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William A. Loginov on April 11<sup>th</sup>, 2006.

2. The application has been amended as follows:

IN THE CLAIMS

1) Claim 1, lines 8-12, "with opposing convex edges that extend lengthwise from a leading end to a trailing end, wherein each of the opposing convex edges in each of the pair of runners, respectively have a wider widthwise spacing apart between each of the opposing convex edges in a central lengthwise region than the widthwise spacing apart at the leading end and the trailing end", has been changed to --- with an opposing outer convex edge and inner convex edge, each of the outer convex edge and inner convex edge extending lengthwise from a leading end to a trailing end of each runner,

Application/Control Number: 10/808,661 Page 3

Art Unit: 3618

wherein each outer convex edge and inner convex edge in each runner, respectively, define a wider widthwise spacing there between in a central lengthwise region of the runner than the widthwise spacing at the leading end and the trailing end---.

2) Claim 14, line 8 "with a respect" has been changed to - - - with respect- - -.

# Allowable Subject Matter

Claims 1 and 14 are allowed.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cynthia F. Collado whose telephone number is (571)2728315. The examiner can normally be reached on mon-fri 8-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Ellis can be reached on (571)2726914. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/808,661

Art Unit: 3618

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CFC 4/11/06

CHRISTOPHER P. ELLIS SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600 Page 4